



P.O. Number:

Date:

2024 Churchill with Positioning Harness Order Form

The Churchill-Pediatric Positioning
Vehicle Restraint System and Accessories

See Important Statement on Third Page About Installing the Churchill****

The Churchill is available in four fabric color options. To select a color, simply fill in the space at the end of the part number with the color option abbreviation from the following list.

- Sapphire Blue – S
- Rapunzel Purple - RP
- Total Camo – TC
- Beige Naugahyde - N

Billing Address

Contact Name:
Organization:
Street Address:
City, State:
ZIP Code:
Phone: Fax:
E-Mail:

Shipping Address (If Different)

Contact Name:
Organization:
Street Address:
City, State:
ZIP Code:
Phone: Fax:
E-Mail:

Qty	Part Number	Description	Unit Price	Line Total
	2000CH15-__	The Churchill with Positioning Harness*** and 15 Inch Seat Depth (FOR USE WITH OUR ESCAPE PROOF PRODUCTS) – a pediatric positioning vehicle restraint system (Weight range: 44 to 175 lbs.; Height Range: 44 to 72 inches). One Positioning Harness is included in price. NOTE: Add the escape proof Buckle Guard and Chest Clip Guard listed below for the proficient escape artist.		
	2000CH18-__	The Churchill with Positioning Harness*** and 18 Inch Seat Depth (FOR USE WITH OUR ESCAPE PROOF PRODUCTS) – a pediatric positioning vehicle restraint system (Weight range: 44 to 175 lbs.; Height Range: 44 to 72 inches). One Positioning Harness is included in price.		

		NOTE: Add the escape proof Buckle Guard and Chest Clip Guard listed below for the proficient escape artist.		
		Optional Accessories		
	2000BG	Buckle Guard - (To stop occupant from opening buckle)		
	2000CCG-___	Chest Clip Guard - (To stop occupant from opening Chest Clip or pushing it down)		
	2000EUHR-___	EZ-Up Head Rest – Supports head to limit side to side motion. To limit forward motion, choose a cap size from below: The cap is designed to Velcro to the head rest.		
	Important Note	One of the following positioning vests can be added for use with the position harness. This would also allow the possibility of using only the vest; or only the harness.		
	2000CVS-___	Small Positioning Vest - for chest circumference between 25 and 32 inches and belly circumference less than 32 inches.		
	2000CVM-___	Medium Positioning Vest - for chest circumference between 30 and 37 inches and belly circumference less than 37 inches		
	2000CVL-___	Large Positioning Vest - for chest circumference between 35 and 44 inches and belly circumference less than 44 inches.		
	2000CVC-___	Custom Vest – Please Provide Following Measurements: Chest Circumference: ____; Waist Circumference: ____; Height from Hip to Shoulder: ____		
	2000VB	Add Side Release Buckles to one of the vests above.		
	See note to the right regarding the five cap color options.	Note: There are five options for cap color. The Khaki option is the coolest option for hot temperatures. Simply fill in the space at the end of the part number below with “K” for Khaki or one of the color abbreviations (to match your seat cover) at the top of this form.		
	1000EUCS-___	EZ-Up Cap – Size Small - (Head Circumference: 17.5 – 19.5 inches)		
	1000EUCM-___	EZ-Up Cap – Size Medium - (Head Circumference: 19.5 – 21.5 inches)		
	1000EUCL-___	EZ-Up Cap – Size Large - (Head Circumference: 21 – 23.25 inches)		
	2000FA-___	Foam Abductor		
	2000HICP-___	Hip Inflection Comfort Pommel		

	2000HIW-___	Hip Inflection Wedge		
	2000IC-15-___	Quick-Change Incontinent Cover for 15 Inch Seat Depth Base		
	2000IC-18-___	Quick-Change Incontinent Cover for 18 Inch Seat Depth Base		
	2000ADD	Adductor Strap		
	2000AB	Attachment Bracket Kit (for Vehicles without LATCH) – See Important Note Below****		
			Sub Total**	
Indiana Residents Only; Not Applicable to other States			Sales Tax (7%)	
			TOTAL	

***The "Churchill with Harness" includes the following features:

- Base
- Lower Anchor Attachment Straps
- Positioning Harness for 5-Point Harness Option
- 5-Point Harness
- Foam Padding
- Fabric Cover
- Tether Extension Assembly
- Belt Positioning Guides

**** The Attachment Bracket Kit is designed for use in vehicles that do not have LATCH. The Churchill must be installed with LATCH or with the Attachment Bracket kit. All Vehicles 2003 and newer are equipped with LATCH in at least two rear seating positions, so there should be no installation issues for these vehicles and the Attachment Bracket will not be necessary. Many 2000 – 2002 models also have LATCH (See your vehicle owner’s manual to verify if LATCH is present).

For vehicles without LATCH, the attachment bracket can only be used on vehicle seats that you can slide a ruler, or similar object, from the back side of the vehicle seat through the crack in the vehicle seat (where the seat bottom and seat back come together) through to the front side of the seat. This can usually be done in mini-vans and SUVs. Generally, the Attachment Bracket cannot be installed in the back seat of sedans. Installation of the Attachment Bracket Kit does require that a hole be drilled through the vehicle’s floor board. Please call Customer Service at 317-409-0148 with any questions regarding the installation of the Churchill.

Please place orders by one of the following methods:

E-Mail: order@merrittcarseat.com

Phone: 317-409-0148

Fax: 317-893-2567

Thanks for Your Business!

** Shipping charges – The cost of shipping “Best Way” will be added to Purchase Orders.

Merritt Manufacturing, Inc.,
580 Tracy Rd,
New Whiteland, IN 46184

www.merrittcarseat.com