

P.O. Number:

Date:

## 2024 Roosevelt Order Form

The Roosevelt is available in eleven fabric color options. To select a color, simply fill in the space at the end of the part number with the color option abbreviation from the following list.

Midnight Dragon – MD	Turquoise Rain – TR	Pink Camo – PC	Graphite – G
Ocean Blue – OB	Shaded Berry – SB	Hunter Orange Camo – HOC	Total Camo – TC
Beige Naugahyde - N	Citrus Road – CR	Plum Beautiful (Purple) – PB	

## **Billing Address**

Contact Name:	
Organization:	
Street Address:	
City, State:	
ZIP Code:	
Phone:	Fax:
E-Mail:	

## Shipping Address (If Different)

Contact Name:	
Organization:	
Street Address:	
City, State:	
ZIP Code:	
Phone:	Fax:
E-Mail:	

Qty	Part Number	Description	Unit Price	Line Total
	1000SI	Spanish Instructions	\$0.00	\$0.00
	1000RS	<b>The Roosevelt Standard*</b> – a pediatric positioning vehicle restraint system (Weight range: 35 to 115 lbs.; Height Range: 33.5 to 62 inches)		
	1000RSEU	<b>The Roosevelt Standard* with "EZ-Up" Head Rest</b> – Same as 1000RS, except it comes with the "EZ-Up" Head Rest rather than the standard head rest. Choose cap(s) size below:		
		Optional Accessories		
	See note to the right regarding the twelve cap color options.	Note: There are twelve options for cap color. The Khaki option is the coolest option for hot temperatures. Simply fill in the space at the end of the part number below with "K" for Khaki or one of the color abbreviations (to match your seat cover) at the top of this page.	N/A	N/A
	1000EUCS	EZ-Up Cap — Size Small - (Head Circumference: 17.5 — 19.5 inches)		
	1000EUCM	EZ-Up Cap — Size Medium (Head Circumference: 19.5 — 21.5 inches)		
	1000EUCL	EZ-Up Cap — Size Large - (Head Circumference: 21 — 23.25 inches)		

	Indiana Residents Only; Not Applicable to other States	Sales Tax (7%)	
		Sub Total**	
1000SE45/0	4.5 Inch/o Inch Seat Extender - 17.0 Inch Total Seat Depth for Left Leg and 12.5 Inch Seat Depth for Right Leg		
1000SE3/0	3 Inch/o Inch Seat Extender — 3 Inch/4.5 Inch Seat Extender - 15.5 Inch Total Seat Depth for Left Leg and 12.5 Inch Seat Depth for Right Leg		
1000SE0/45	o Inch/4.5 Inch Seat Extender - 12.5 Inch Total Seat Depth for Left Leg and 17.0 Inch Seat Depth for Right Leg		
1000SE0/3	o Inch 3 Inch Seat Extender - 12.5 Inch Total Seat Depth for Left Leg and 15.5 Inch Seat Depth for Right Leg		
1000SE45/3	4.5 Inch/3 Inch Seat Extender - 17.0 Inch Total Seat Depth for Left Leg and 15.5 Inch Seat Depth for Right Leg		
1000SE3/45	3 Inch/4.5 Inch Seat Extender - 15.5 Inch Total Seat Depth for Left Leg and 17.0 Inch Seat Depth for Right Leg		
	*****The following extenders are for leg length discrepancy only!*****		
1000SE45	4.5 Inch Seat Depth Extension — 17.0 Inch Total Seat Depth for both legs		
1000SE3	3 Inch Seat Depth Extension — 15.5 Inch Total Seat Depth for both legs		
PLEASE NOTE:	Please note that the standard seat depth of the Roosevelt (without an extender) is 12.5" as measured from back of buttocks to back of knee. The following seat depth extender combinations are available.	N/A	N//
1000HDTA	Heavy Duty Tether Anchor Kit		
1000SHK	Kit for Children with Scoliosis (Including harness with two adjusters and a set of three foam pads)		
1000ELH	Optional Extra Long Harness (One foot longer than standard harness)		
1000IC	Quick-Change Incontinent Cover		
1000FA	Foam Abductor		
1000AC	A-Lok Cover (Prevents child from lifting A-Lok Adjuster)		
1000CCG	Chest Clip Guard - Prevents child from opening chest clip		

TOTAL
-------

<ul> <li>* The "Roosevelt" includes the following features:</li> <li>Head Rest</li> <li>Fabric Cover</li> <li>Neck Pads</li> <li>Two Lateral Pads</li> <li>Tilt Bar</li> <li>EZ-Tether Connector Strap</li> <li>Two Tether Assemblies</li> <li>Locking Clip</li> </ul>	Please place orders by one of the following methods: E-Mail: order@merrittcarseat.com Phone: 317-409-0148 Fax: 317-893-2567
	Thanks for Your Business!
** Shipping charges – The cost of shipping "Best Way" will be added to Purchase Orders.	Merritt Manufacturing, Inc., 580 Tracy Rd, New Whiteland, IN 46184 www.merrittcarseat.com